

JUL 02 2004

MODIFIED PTO/SB/08 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substituted for form 1449B/PTO <b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b> Date Submitted: July 2, 2004 (use as many sheets as necessary)			<b>Complete If Known</b>		
			Application Number	10/817,077	
			Filing Date	04/02/2004	
			First Named Inventor	George P. Karidis	
			Group Art Unit	3749	
			Examiner Name		
Sheet	1	of	1	Attorney Docket Number	055391-0107

U.S. PATENT DOCUMENTS						
Examiner Initials*	Cite No. <sup>1</sup>	U.S. Patent Document		Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number	Kind Code <sup>2</sup> (if known)			
[Signature]	A1	681,215		R. Goll	08-27-1901	
	A2	2,339,629		H. F. Fischer, Jr.	01-18-1944	
	A3	2,996,972		Ake Johansson	08-22-1961	
	A4	3,122,087		C. T. Demuth, et al.	02-25-1964	
	A5	3,946,647		Lärkfeldt	03-30-1976	
	A6	4,506,830		Francel	03-26-1985	
	A7	4,729,292		Marton	03-08-1988	
	A8	4,782,999		Ishii, et al.	11-08-1988	
	A9	5,318,099		Zivalich, Jr.	07-07-1994	66/09/1994
	A10	5,338,254		Farrington	08-16-1994	
	A11	6,019,677		Demster	02-01-2000	
	A12	6,099,406		Demster	08-08-2000	

FOREIGN PATENT DOCUMENTS							
Examiner Initials*	Cite No. <sup>1</sup>	Foreign Patent Document			Name of Patentee or Applicant of Cited Documents	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Office <sup>3</sup>	Number <sup>4</sup>	Kind Code <sup>5</sup> (if known)			

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>6</sup>
[Signature]	A13	Promotional material titled Vari-Disc Variable Volume Ceiling Diffusers, by Rickard Air Diffusion Inc., 7711 Welborn Street, Suite 110, Raleigh, NC 27615, undated, (4 sheets).	
	A14	Promotional material titled Underfloor Products, by Price Industries, 2975 Shawnee Ridge Court, Suwanee, GA 30024, bearing a designation of "2001", (5 sheets).	
	A15	Promotional materials titled Access Floor Air Distribution Linear Floor Diffuser with Plenum, by Titus, 990 Security Row, Richardson, TX 75081, bearing a designation of "2000", (2 sheets).	
	A16	Promotional materials titled Zebra Precision Air Valves, by Warren Technology, 2050 W. 73 St., Hialeah, FL 33016-9912, bearing a designation of "1994", (4 sheets).	
	A17	Promotional materials titled Zebra Damper, by Warren Technology, 2050 W. 73 St., Hialeah, FL 33016-9912, bearing a designation of "January 1997", (11 sheets).	

Examiner Signature	<i>D. Boles</i>	Date Considered	4/17/06
--------------------	-----------------	-----------------	---------

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Unique citation designation number. <sup>2</sup> See attached Kinds of U.S. Patent Documents. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.

<sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 18 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on